

































Situation Analysis Dashboard (National Level)

What is the situation stakeholders need to address?

Severity:
 Low
 Medium
 High

Trend:
 Improvement
 No change
 Worsening

	Indicator	Status	Source	Year	Severity	Trend	
Nutritional impact	Stunting	Stunting prevalence among children 0-59 mo. old	37.9%	DHS	2014/15		 44.2% (2010)
	Wasting	GAM prevalence among children 0-59 mo. old	2.2%	DHS	2014/15		 2.8% (2010)
		SAM prevalence among children 0-59 mo. old	0.6%	DHS	2014/15		 0.8% (2010)
	Underweight	Underweight prevalence among children 0-59 mo. old	9.3%	DHS	2014/15		 11.4% (2010)
	Iron deficiency	Anemia among children 6-59 mo. old (any anemia)	36.5%	DHS	2014/15		 38.1% (2010)
		Anemia among women 15-49 yrs old (any anemia)	19.2%	DHS	2014/15		 17.3% (2010)
	Vit A deficiency	Vitamin A deficiency among children 0-59 mo. old	N/A	N/A	N/A		6.4% (1996)
Iodine deficiency	Iodine deficiency among children 6-12 years old	N/A	N/A	N/A	na	N/A	
Underlying causes	Food security	Households with poor & borderline food cons. score	21.1%	CFSVA	2012	na	 21.5% (2009)
		Global Hunger Index rating	15.6	GHI	2014		 24.1 (2005)
	Health & Sanitation	Under 5 mortality rate (deaths per 1,000 live births)	50	DHS	2014/15		 76 (2010)
		Low birthweight prevalence (<2,500g)	X.x%	DHS	2014/15	na	6.2% (2010)
		Women 15-49yrs with problems accessing health care	Xx.x%	DHS	2014/15	na	61.4% (2010)
		Household access to improved water source	84.8%	EICV	2013/14		 74.2% (2010/11)
Care	Household access to improved sanitation facilities	83.4%	EICV	2013/14	na	 74.5% (2010/11)	
	Households with handwashing facility, soap & water	Xx.x%	DHS	2014/15	na	2.1% (2010)	
	Infants 0–5 mo. exclusively breastfed	87.3%	DHS	2014/15	na	 84.9% (2010)	
	Timely initiation of solid or semi-solid foods (6-8 mo)	55.8%	DHS	2014/15	na	 61.2% (2010)	
	Children 6-23 mo. old with min acceptable diet (MAD)	17.8%	DHS	2014/15	na	 16.8% (2010)	
Basic causes	Education	Females that completed primary school or higher	Xx.x%	DHS	2014/15	na	30.1% (2010)
		Literacy rate 15 years or more - Women	67.6%	EICV	2013/14	na	 64.5% (2010/11)
	Population	Total fertility rate	4.2	DHS	2014/15	na	 4.6 (2010)
		Percentage with unmet need for family planning	18.9%	DHS	2014/15	na	 18.9% (2010)
Gender	Teenage pregnancy: women 15-19 with a live birth	5.5%	DHS	2014/15	na	 4.7% (2010)	
	Women who participate in major household decisions	Xx.x%	DHS	2014/15	na	58.7% (2010)	
Poverty	Global Gender Gap ranking	7 / 142	GGGI	2014	na	N/A	
	Population living under national poverty line	39.1%	EICV	2013/14	na	 44.9% (2010/11)	
	Population living in extreme poverty (national line)	16.3%	EICV	2013/14	na	 24.1% (2010/11)	

Note: Missing information to be updated when the full Rwanda DHS 2014/15 and CFSVA 2015 are released

Situation Analysis Dashboard (National Level)

Gender-sensitive view highlighting data gaps

Severity:
 Low
 Medium
 High


Trend:
 Improvement
 No change
 Worsening

		Indicator	Status	Female	Severity	Trend	Male	Severity	Trend
Nutritional impact	Stunting	Stunting prevalence among children 0-59 mo. old	37.9%	32.9%		41.1%	42.7%		47.4%
	Wasting	GAM prevalence among children 0-59 mo. old	2.2%	2.0%		2.4%	2.4%		3.3%
		SAM prevalence among children 0-59 mo. old	0.6%	0.3%		0.6%	0.9%		1.0%
	Underweight	Underweight prevalence among children 0-59 mo. old	9.3%	9.3%		10.2%	9.3%		12.7%
	Iron deficiency	Anemia among children 6-59 mo. old (any anemia)	36.5%	35.8%		35.0%	37.3%		41.2%
		Anemia among women 15-49 yrs old (any anemia)	19.2%	19.2%		17.3%			
	Vit A deficiency	Vitamin A deficiency among children 0-59 mo. old	N/A						
Iodine deficiency	Iodine deficiency among children 6-12 years old	N/A			na		na		
Underlying causes	Food security	Households with poor & borderline food cons. score Global Hunger Index rating	21.1% 15.6		na 			na 	
	Health & Sanitation	Under 5 mortality rate (deaths per 1,000 live births)	50	XX		97	XX		107
		Low birthweight prevalence (<2,500g)	Xx.x%		na			na	
		Women 15-49yrs with problems accessing health care	Xx.x%		na	61.4%		na	
		Household access to improved water source	84.8%						
	Care	Household access to improved sanitation facilities	83.4%		na			na	
Households with handwashing facility, soap & water		Xx.x%			na			na	
Basic causes	Education	Females/male that completed primary school or higher	Xx.x%	Xx.x%	na	30.1%	Xx.x%	na	33.4%
		Literacy rate 15 years or more	72.1%	67.6%	na	64.5%	77.3%	na	75.7%
	Population	Total fertility rate	4.2	4.2	na	4.6		na	
		Percentage with unmet need for family planning	18.9%		na			na	
Gender	Teenage pregnancy: women 15-19 with a live birth	5.5%	5.5%	na	4.7%				
	Women who participate in major household decisions	Xx.x%	Xx.x%	na	58.7%				
Poverty	Global Gender Gap ranking	7 / 142		na			na		
	Population living under national poverty line	39.1%			na			na	
	Population living in extreme poverty (national line)	16.3%			na			na	

Note: Missing information to be updated when the full Rwanda DHS 2014/15 and CFSVA 2015 are released

Situation Analysis Dashboard (National Level)

Urban Vs. rural areas showing data gaps and disparities



		Indicator	Status	Urban	Severity	Trend	Rural	Severity	Trend
Nutritional impact	Stunting	Stunting prevalence among children 0-59 mo. old	37.9%	23.7%	●	➤ 27.3%	40.6%	●	➤ 46.5%
	Wasting	GAM prevalence among children 0-59 mo. old	2.2%	1.8%	●	➤ 3.5%	2.3%	●	➤ 2.7%
		SAM prevalence among children 0-59 mo. old	0.6%	0.6%	●	➤ 1.7%	0.6%	●	➤ 0.7%
	Underweight	Underweight prevalence among children 0-59 mo. old	9.3%	5.9%	●	➤ 6.3%	10.0%	●	➤ 12.1%
	Iron deficiency	Anemia among children 6-59 mo. old (any anemia)	36.5%	30.2%	●	➤ 35.7%	37.7%	●	➤ 38.4%
		Anemia among women 15-49 yrs old (any anemia)	19.2%	16.3%	●	➤ 16.2%	19.9%	●	➤ 17.4%
	Vit A deficiency	Vitamin A deficiency among children 0-59 mo. old	N/A						
Iodine deficiency	Iodine deficiency among children 6-12 years old	N/A			na		na		
Underlying causes	Food security	Households with poor & borderline food cons. score Global Hunger Index rating	21.1% 15.6	6%	na ●		24%	na ●	
	Health & Sanitation	Under 5 mortality rate (deaths per 1,000 live births)	50	XX	●	81	XX	●	105
		Low birthweight prevalence (<2,500g)	X.x%	X.x%	na	5.9%	X.x%	na	6.3%
		Women 15-49yrs with problems accessing health care	Xx.x%	Xx.x%	na	48.1%	Xx.x%	na	63.8%
		Household access to improved water source	84.8%	90.0%	●	➤ 87.1%	83.7%	●	➤ 71.9%
	Household access to improved sanitation facilities	83.4%	93.5%	na	➤ 87.4%	81.3%	na	➤ 72.2%	
Care	Households with handwashing facility, soap & water	Xx.x%	Xx.x%	na	6.0%	Xx.x%	na	1.5%	
	Infants 0-5 mo. exclusively breastfed	87.3%		na			na		
	Timely initiation of solid or semi-solid foods (6-8 mo)	55.8%		na			na		
	Children 6-23 mo. old with min acceptable diet (MAD)	17.8%	Xx.x%	na	➤ 32.1%	Xx.x%	na	➤ 15.0%	
Basic causes	Education	Females that completed primary school or higher	Xx.x%	Xx.x%	na	50.5%	Xx.x%	na	26.4%
		Literacy rate 15 years or more	72.1%	87.5%	na	➤ 85.8%	68.6%	na	➤ 66.2%
	Population	Total fertility rate	4.2	3.6	na	➤ 3.4	4.3	na	➤ 4.8
		Percentage with unmet need for family planning	18.9%	17.3%	na	➤ 15.5%	19.3%	na	➤ 19.5%
Gender	Teenage pregnancy: women 15-19 with a live birth	5.5%	5.6%	na	➤ 4.2%	5.4%	na	➤ 4.8%	
	Women who participate in major household decisions Global Gender Gap ranking	Xx.x% 7 / 142	Xx.x%	na na	67.8%	Xx.x%	na na	57.3%	
Poverty	Population living under national poverty line	39.1%	Xx.x%	na	➤ 22.1%	Xx.x%	na	➤ 48.7%	
	Population living in extreme poverty (national line)	16.3%	Xx.x%	na	➤ 10.4%	Xx.x%	na	➤ 26.4%	

Note: Missing information to be updated when the full Rwanda DHS 2014/15, EICV4 2013/14 and CFSVA 2015 are released